



Information about the subject

Degree: Bachelor of Sciences of Physical Activity and Sport

Faculty: Faculty of Physical Activity and Sport Sciences

Code: 280317 **Name:** Physical Activity and Health

Credits: 6,00 **ECTS Year:** 3 **Semester:** 1

Module: 3) Specific Obligatory Formation Module.

Subject Matter: Physical activity and physical exercise for health and with special populations.

Type: Compulsory

Field of knowledge: Health Sciences

Department: Physical Preparation and Conditioning

Type of learning: Classroom-based learning

Languages in which it is taught:

Lecturer/-s:

1163DG	Honorato Jose Ginés Cabeza (Profesor responsable)	hj.gines@ucv.es
283A	<u>Marta Martin Rodriguez</u> (Responsible Lecturer)	MARTA.MARTIN@UCV.ES
283B	<u>Laura Elvira Macagno</u> (Responsible Lecturer)	laura.elvira@ucv.es
283C	<u>Julio Martin Ruiz</u> (Responsible Lecturer)	julio.martin@ucv.es
283D	<u>Julio Martin Ruiz</u> (Responsible Lecturer)	julio.martin@ucv.es
283X	<u>Leandro Ferreira Moraes</u> (Responsible Lecturer)	leandro.ferreira@ucv.es



Module organization

3) Specific Obligatory Formation Module.

Subject Matter	ECTS	Subject	ECTS	Year/semester
Physical activity and physical exercise for health and with special populations.	12,00	Physical Activity and Health	6,00	3/1
		Prescription and Programmes for Healthy Lifestyles	6,00	4/1
Physical exercise, fitness and sports physical training.	18,00	Evaluation of Biological Condition	6,00	3/1
		Planning and Methodology of Training in PA	6,00	3/2
		Prevention and Rehabilitation of Injuries in PA	6,00	4/1
Teaching of Physical Education and Sports.	18,00	Design, Evaluation and Intervention in Educational Programmes	6,00	4/1
		Didactics and Methodology of Sports and Physical Activity	6,00	3/1
		Social Morality and Professional Deontology	6,00	4/1
Sports organization and management.	12,00	Sports Marketing	6,00	3/2
		Sports Training Planning and Organisation	6,00	3/1



Learning outcomes

At the end of the course, the student must be able to prove that he/she has acquired the following learning outcomes:

- R1 Design and autonomously implement exercise and physical-sports activities focused on health from a multidisciplinary perspective.
- R2 Select, based on experimentation, the appropriate exercise for prescribing healthy physical activity, considering the needs of each population and context.
- R3 Identify, correct, and optimize habits, activities, and execution of exercises/technical movements, providing appropriate feedback to avoid health risks (using various methodologies).
- R4 Recognize supportive contexts for physical exercise adherence and prevention of physical and psychosocial health risks.
- R5 Critically analyze and discuss various documentary information sources (in Spanish and English) regarding the effects of physical activity.



Assessment system for the acquisition of competencies and grading system

Assessed learning outcomes	Granted percentage	Assessment method
R1, R2, R3, R4	30,00%	Written and/or practical tests.
R1, R2, R3, R4, R5	20,00%	Individual or Group Work / Project.
R1, R2, R3, R4, R5	20,00%	Exercises and Practices in the Classroom.
R1, R2, R3, R4, R5	30,00%	Oral tests or presentation.

Observations

This course is NOT eligible for a single assessment request in accordance with Article 10.3 of the GENERAL REGULATIONS FOR THE ASSESSMENT AND GRADING OF OFFICIAL COURSES AND UCV DEGREE PROGRAMS.

Students may retain the assessment instruments they have passed for three years after their initial enrollment.

A grade of 50% must be obtained in the following assessment instruments in order to pass the course:

- Written and/or practical tests
- Individual or group work/project
- Oral tests or presentations

Attendance at all practical sessions indicated in the schedule is compulsory. If students fail to attend 70% of these sessions, they will fail both exam sessions for the course and will have to retake all practical sessions in the following enrollment period.

If any of these criteria are not met, students will be graded with a maximum of 4.5.

SPECIFICATIONS TO THE EVALUATION INSTRUMENTS

Written and/or practical tests

It consists of a final test on the official call dates. Multiple choice test with questions that may be multi-answer (4 options with a 33.3% penalty) and/or true or false (with a 50% penalty).

Exercises and Practices in the Classroom

Participate and actively perform the tasks of the theoretical-practical and/or practical classes in the classroom or sports area. These activities may only be submitted by students who have attended these sessions.

Individual or Group Work / Project

Two projects/assignments will be carried out on content related to the subject. The type and theme



of these will be detailed by the teacher. As an example, a project could be: making a video of a muscle group and equipment, giving a practical session, conducting surveys, among others. The submission date will be indicated in each group's schedule.

Oral tests or presentation

·Oral type test* on theoretical/practical questions. *Only students who pass the multiple-choice test with a minimum of 5 points will be allowed to take the oral test. The course assessment system is cumulative, so the grades obtained in the different midterm exams are independent and are added together.

The detailed explanation (procedure for work) as well as the evaluation tools (sheets or rubrics) of each section will be posted on the platform of each group available to the student.



Use of Artificial Intelligence Tools in the CAFD Degree Program

Use of Artificial Intelligence tools in the CAFD degree program In the Bachelor's Degree in Physical Activity and Sports Sciences (CAFD), the use of Artificial Intelligence (AI) tools is permitted in a complementary and responsible manner, as long as it contributes to active learning, the development of critical thinking, and the improvement of students' professional skills. Under no circumstances should AI replace personal effort, direct practice, or independent reflection, which are fundamental pillars of this degree program.

Permitted Uses of AI:

- Obtaining alternative explanations of theoretical or methodological concepts.
- Generating outlines, concept maps, or summaries to support study.
- Simulating interviews, questionnaires, or training sessions as part of methodological or research practices.
- Receiving feedback on report writing, provided that the original content is the student's own.
- Supporting the search for bibliography or scientific references, always contrasting with reliable and real academic sources, and respecting the CAFD regulations for the presentation of university work.

Prohibited Uses of AI:

- Writing complete sections of academic papers, classroom exercises and practices, internship reports, journals, or portfolios, as well as the Final Degree Project.
- Formulating hypotheses, objectives, or conclusions for academic work.
- Replacing qualitative or quantitative data analysis with automated tools without human validation.
- Creating videos, presentations, or avatars with AI as a substitute for the student's oral or practical presentation.
- Obtaining automatic answers to tests, rubrics, or assessable activities through the use of AI.

Citation and Attribution Guidelines:

- Any use of AI tools must be explicitly acknowledged in the submitted document (e.g., in a footnote or appendix).
- The name of the tool, the purpose of use (e.g., grammatical review, organization of ideas, interview simulation), and where it was used in the work must be indicated.
- Responsible use of AI will be evaluated within the framework of originality, academic honesty, and digital competence.

Additional recommendations:

Students are encouraged to combine the use of AI with traditional methods (manual problem solving, practical session design, direct observation, etc.) to ensure the comprehensive development of their skills.



If there are any doubts about the permitted use of AI in a specific activity, students should consult the faculty responsible for the course.

Learning activities

The following methodologies will be used so that the students can achieve the learning outcomes of the subject:

- M1 Attendance at practices.
- M2 Resolution of problems and cases.
- M3 Discussion in small groups.
- M4 Practical laboratories.
- M5 Presentation of content by the teacher.
- M6 Practical lesson.
- M7 Group dynamics and activities.



IN-CLASS LEARNING ACTIVITIES

	LEARNING OUTCOMES	HOURS	ECTS
<p>THEORETICAL CLASS: Presentation of contents by the teacher. Competency analysis. Demonstration of capabilities, skills and knowledge in the classroom. M2, M5</p>	R1, R2, R3, R4	34,00	1,36
<p>PRACTICAL CLASS / SEMINAR: Group dynamics and activities. Resolution of problems and cases. Practical laboratories. Data search, computer classroom, library, etc. Meaningful construction of knowledge through student interaction and activity. M1, M3, M6</p>	R1, R2, R3, R4, R5	16,00	0,64
<p>EVALUATION: Set of oral and/or written tests used in the evaluation of the student, including the oral presentation of the final degree project. M2</p>	R1, R2, R3, R4, R5	6,00	0,24
<p>TUTORING: Supervision of learning, evolution. Discussion in small groups. Resolution of problems and cases. Presentation of results before the teacher. Presentation of diagrams and indexes of the proposed works. M2, M3</p>	R1, R2, R3, R4, R5	4,00	0,16
TOTAL		60,00	2,40



LEARNING ACTIVITIES OF AUTONOMOUS WORK

	LEARNING OUTCOMES	HOURS	ECTS
GROUP WORK: Problem solving. Preparation of exercises, memoirs, to present or deliver in classes and/or in tutoring. M7	R1, R2, R3, R4, R5	50,00	2,00
SELF-EMPLOYED WORK: Study, Individual preparation of exercises, assignments, reports, to present or deliver in classes and/or in tutoring. Activities in platform or other virtual spaces. M2	R1, R2, R3, R4, R5	40,00	1,60
TOTAL		90,00	3,60

Description of the contents

Description of the necessary contents to acquire the learning outcomes.

Theoretical contents:

Content block	Contents
BLOCK I	BASIC CONCEPTS AND CONTEXTUALIZATION OF THE PHYSICAL ACTIVITY AND HEALTH
BLOCK II	EFFECTS OF PHYSICAL ACTIVITY. BENEFITS AND RISKS
BLOCK III	HEALTHY PHYSICAL ACTIVITIES. GENERAL RECOMMENDATIONS ON THE HEALTHY PHYSICAL ACTIVITY PRESCRIPTION (ACSM)
BLOCK IV	CORRECT, SAFE AND EFFECTIVE PERFORMANCE OF THE EXERCISES. PRACTICAL APPLICATIONS



Temporary organization of learning:

Block of content	Number of sessions	Hours
BLOCK I	10,00	20,00
BLOCK II	4,00	8,00
BLOCK III	10,00	20,00
BLOCK IV	6,00	12,00



References

BASIC REFERENCES

- Ackerman, K. E. & Misra, M. (2018). *Amenorrhoea in adolescent female athletes*. 2(9), 677–688. [https://doi.org/S2352-4642\(18\)30145-7](https://doi.org/S2352-4642(18)30145-7) [pii]
- ACSM. (2014). *Manual ACSM para la valoración y prescripción del ejercicio*. Paidotribo.
- Adam, C., Klissouras, V., Ravazzolo, M., Renson, R. & Tuxworth, W. (1988). *EUROFIT: European test of physical fitness*.
- Andrés, M., Remesal, R., Merino, M. A. & Rivera, F. (2017). *Estilos de vida en jóvenes universitarios: estudios realizados en España en los últimos 5 años*. Universidad de Alicante. Proyecto Universidad Saludable. <http://rua.ua.es/dspace/handle/10045/67129>
- Badillo, J. J. G. & Serna, J. R. (2002). *Bases de la programación del entrenamiento de fuerza* (Vol. 308). Inde.
- Bahr, R., Maehlum, S. & Bolic, T. (2007). *Lesiones deportivas: Diagnóstico, tratamiento y rehabilitación*. Médica Panamericana.
- Behm, D. & Chaouachi, A. (2011). *A review of the acute effects of static and dynamic stretching on performance*. 111(11), 2633–2651.
- Behm, D. & Colado, J. C. (2012). *The effectiveness of resistance training using unstable surfaces and devices for rehabilitation*. 7(2), 226.
- Billat, V. (2002). *Fisiología y metodología del entrenamiento. De la teoría a la práctica* (Vol. 24). Paidotribo.
- BOE. (2011). *Ley 17/2011, de 5 de julio, de seguridad alimentaria y nutrición*. 160, 71283.
- Borg, G. (1961). *Perceived exertion in relation to physical work load and pulse-rate*. Departm. Of Psychiatry, Medical School.
- Borg, G. A. (1982). *Psychophysical bases of perceived exertion*. 14(5), 377–381.
- Bouchard, C., Shephard, R. J., Stephens, T., Sutton, J. R. & McPherson, B. D. (1990). *Exercise, fitness, and health: a consensus of current knowledge: proceedings of the International Conference on Exercise, fitness, and health, May 29-June 3, 1988, Toronto, Canada*. Exercise,



fitness, and health: a consensus of current knowledge: proceedings of the International Conference on Exercise, fitness, and health, May 29-June 3, 1988, Toronto, Canada.

Boushel, R., Gnaiger, E., Calbet, J. A. L., Gonzalez-Alonso, J., Wright-Paradis, C., Sondergaard, H., Ara, I., Helge, J. W. & Saltin, B. (2011). *Muscle mitochondrial capacity exceeds maximal oxygen delivery in humans*. 11(2), 303–307. <https://doi.org/10.1016/j.mito.2010.12.006>

Bouzas Marins, J. C., Ottoline Marins, N. M. & Delgado Fernández, M. (2010). *Aplicaciones de la frecuencia cardíaca máxima en la evaluación y prescripción de ejercicio*. 45(168), 251–258.

CAM. (2017). *Mitos, falsedades y realidades en alimentación y nutrición*. <https://www.comunidad.madrid/servicios/salud/mitos-falsedades-realidades-alimentacion-nutricion>

Campos Granell, J. & Ramón Cervera, V. (2001). *Teoría y planificación del entrenamiento deportivo (LIBRO CD)* (Vol. 24). Editorial Paidotribo.

Castañer, M. (2001). *El cuerpo: gesto y mensaje no verbal*. 3, 39–49.

Cholewa, J., Guimarães-Ferreira, L., da Silva Teixeira, T., Naimo, M. A., Zhi, X., de Sá, R. B. D.

P., Lodetti, A., Cardozo, M. Q. & Zanchi, N. E. (2014). *Basic Models Modeling Resistance Training: An Update for Basic Scientists Interested in Study Skeletal Muscle Hypertrophy*. 229(9), 1148–1156.

Cometti, G. (1998). *Los métodos modernos de musculación*. Paidotribo.

Cometti, G. (2002). *El entrenamiento de la velocidad* (Vol. 24). Editorial Paidotribo.

Cordero, M. J. A., Piñero, A. O., García, L. B., Segovia, J. P. N., Hernández, M. C. L. & López, A. M. S. (2015). *Efecto rebote de los programas de intervención para reducir el sobrepeso y la obesidad de niños y adolescentes; revisión sistemática*. 32(n06), 2508–2517.

Cox, R. H. & COX, R. (2008). *Psicología del deporte: conceptos y sus aplicaciones*. Médica Panamericana.

Crawford, F. (2009). *Athlete's foot*. 2009, 1712. <https://doi.org/1712>

Cruz-Jentoft, A. J., Bahat, G., Bauer, J., Boirie, Y., Bruyère, O., Cederholm, T., Cooper, C., Landi, F., Rolland, Y., Sayer, A. A., Schneider, S. M., Sieber, C. C., Topinkova, E., Vandewoude, M., Visser, M. & Zamboni, M. (2019). *Sarcopenia: revised European consensus on definition*



and diagnosis. 48(1), 16–31. <https://doi.org/10.1093/ageing/afy169>

de Educación Física, D. (SF). *Salud y actividad física. Efectos positivos y contraindicaciones de la actividad física en la salud y la calidad de vida.*

De Feo, P. (2013). *Is high-intensity exercise better than moderate-intensity exercise for weight loss?* 23(11), 1037–1042. <https://doi.org/10.1016/j.numecd.2013.06.002>

Deepak, T. H., Mohapatra, P. R., Janmeja, A. K., Sood, P. & Gupta, M. (2014). *Outcome of pulmonary rehabilitation in patients after acute exacerbation of chronic obstructive pulmonary disease.* 56(1), 7–12.

Devís, J. D. (2000). *Actividad física, deporte y salud.* Inde.

Downie, R. S., Tannahill, C. & Tannahill, A. (1996). *Health promotion: models and values* (Vol. 40). Oxford University Press Oxford.

Dubos, R. J. (1958). *Infection into disease.* 1(4), 425–435.

Fenstermaker, K. L., Plowman, S. A. & Looney, M. A. (1992). *Validation of the Rockport Fitness Walking Test in females 65 years and older.* 63(3), 322–327.

Ferreira L. (2019). *Manual BÁSICO Movilización Miofascial Inducida por el Movimiento. (1a)* Ed. Propia/SL.

Férriz, R., González-Cutre, D., Sicilia, Á. & Beltrán, V. (2018). *Estrategias motivacionales para la promoción de la actividad física en niños y adolescentes desde el contexto escolar* (p. 109). Inde.

Franks, B. D., Howley, E. T. & Iyriboz, Y. (1999). *The health fitness handbook.* Human Kinetics.

Garber, C. E., Blissmer, B., Deschenes, M. R., Franklin, B. A., Lamonte, M. J., Lee, I.-M., Nieman, D. C. & Swain, D. P. (2011). *American College of Sports Medicine position stand. Quantity and quality of exercise for developing and maintaining cardiorespiratory, musculoskeletal, and neuromotor fitness in apparently healthy adults: guidance for prescribing exercise.* 43(7), 1334–1359. <https://doi.org/10.1249/MSS.0b013e318213febf>

García Manso, J. M., Caballero, J. A. R. & Navarro, M. (1996). *Bases teóricas del entrenamiento deportivo:(principios y aplicaciones).* Gymnos.

García-Ramos, A., Pérez-Castilla, A., Garrido-Blanca, G., Delgado-García, G. & Piepoli, A. (2019). *Reliability and concurrent validity of seven commercially available devices for the*



assessment of movement velocity at different intensities during the bench press .

García-Verdugo, M. (2007). *Resistencia y entrenamiento: una metodología práctica*. Paidotribo.

Grgic, J., Garofolini, A., Orazem, J., Sabol, F., Schoenfeld, B. J. & Pedisic, Z. (2020). Effects of Resistance Training on Muscle Size and Strength in Very Elderly Adults: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. 50(11), 1983–1999.
<https://doi.org/10.1007/s40279-020-01331-7>

Guerrero, L. & León, A. (2008). *Aproximación al concepto de salud*. Revisión histórica. 18(53).

Guillén del Castillo, M. & Linares Girela, D. (2002). *Bases biológicas y fisiológicas del movimiento humano*. Médica Panamericana.

Guthold, R., Stevens, G. A., Riley, L. M. & Bull, F. C. (2020). Global trends in insufficient physical activity among adolescents: a pooled analysis of 298 population-based surveys with 1·6 million participants. 4(1), 23–35. [https://doi.org/10.1016/S2352-4642\(19\)30323-2](https://doi.org/10.1016/S2352-4642(19)30323-2)

Hackett, D. A. & Chow, C.-M. (2013). The Valsalva maneuver: its effect on intra-abdominal pressure and safety issues during resistance exercise. 27(8), 2338–2345.
<https://doi.org/10.1519/JSC.0b013e31827de07d>

Harman, E. A., Rosenstein, R. M., Frykman, P. N. & Nigro, G. A. (1989). Effects of a belt on intra-abdominal pressure during weight lifting. 21(2), 186–190.

Harvey, D. (1998). Assessment of the flexibility of elite athletes using the modified Thomas test. 32(1), 68–70.

Hebert, L. & Miller, G. (1987). Newer heavy load lifting methods help firms reduce back injuries. 56(2), 57–60.

Howe, S. M., Hand, T. M., Larson-Meyer, D. E., Austin, K. J., Alexander, B. M. & Manore, M. M. (2016). No Effect of Exercise Intensity on Appetite in Highly-Trained Endurance Women. 8(4), 223.

Ikeda, E. R., Borg, A., Brown, D., Malouf, J., Showers, K. M. & Li, S. (2009). The Valsalva maneuver revisited: the influence of voluntary breathing on isometric muscle strength. 23(1), 127–132. <https://doi.org/10.1519/JSC.0b013e31818eb256> INE. (2021). INE.
https://www.ine.es/prensa/edcm_2020.pdf

Isidro, F. (2007). *Manual del entrenador personal. Del fitness al wellness (Color) (Vol. 93)*. Editorial Paidotribo.



Jiménez Gutiérrez, A. (2005). *Entrenamiento personal: bases, fundamentos y aplicaciones*. INDE.

Kovacs, F. (2015). *El libro de la espalda*. (1a). PLANETA.

KAPANDJI, L. A. (1998). *Cuadernos de fisiología articular. Cuaderno III: Tronco y raquis*. Kim,

K. & Lee, T. (2016). Comparison of muscular activities in the abdomen and lower limbs while performing sit-up and leg-raise. 28(2), 491–494. <https://doi.org/10.1589/jpts.28.491> [doi]

Kim, T. H., Eke Dogra, S., Al-Sahab, B. & Tamim, H. (2014). Comparison of functional fitness outcomes in experienced and inexperienced older adults after 16-week tai chi program. 20(3), 20–25.

Lagally, K. M. & Robertson, R. J. (2006). Construct validity of the OMNI resistance exercise scale. 20(2), 252–256. <https://doi.org/10.1519/R-17224.1>

Lander, J. E., Hundley, J. R. & Simonton, R. L. (1992). The effectiveness of weight-belts during multiple repetitions of the squat exercise. 24(5), 603–609.

Ley Orgánica 3/2013, de 20 de junio, de protección de la salud del deportista y lucha contra el dopaje en la actividad deportiva, (2013).

<http://www.boe.es/buscar/doc.php?id=BOE-A-2013-6732>

Liebenson, C. (1999). *Manual de rehabilitación de la columna vertebral* (Vol. 88). Editorial Paidotribo.

Lindsey, R. & Corbin, C. (1989). Questionable exercises—some safer alternatives. 60(8), 26–32.

López Cozar, R. & Rebollo, S. (2002). Análisis de la relación entre práctica deportiva y características sociodemográficas en personas mayores. 2(5), 69–98.

López Miñarro, P. A. (2001). *Ejercicios desaconsejados en la actividad física: detección y alternativas*. Inde.

López Miñarro, P. Á. (2002). *Mitos y falsas creencias en la práctica deportiva*. Inde.

López-Bueno, R., Calatayud, J., Casaña, J., Casajús, J. A., Smith, L., Tully, M. A., Andersen, L. L. & López-Sánchez, G. F. (2020). COVID-19 Confinement and Health Risk Behaviors in Spain. 11, 1426. <https://doi.org/10.3389/fpsyg.2020.01426>



- López-Chicharro, J. & Vicente-Campos, D. (n.d.). *HIIT entrenamiento interválico de alta intensidad*. Exercise Physiology and Training.
- Lucía, A., Pardo, J., Duránte, A., Hoyos, J. & Chicharro, J. L. (1998). Physiological differences between professional and elite road cyclists. 19(5), 342–348.
<https://doi.org/10.1055/s-2007-971928>
- Mak, W. Y. V. & Lai, W. K. C. (2015). Acute Effect on Arterial Stiffness after Performing Resistance Exercise by Using the Valsalva Manoeuvre during Exertion. 2015.
- Marcén, C. S. (2021). *Prevención de la vigorexia: Programa de Educación para la Salud dirigido a adolescentes Prevention of vigorexia: Health Education Program for adolescents*. Universidad de Zaragoza.
- Marfell-Jones, M., Olds, T., Stewart, A. & Carter, J. (2006). International Standards for Anthropometric Assessment.
- McGill, S. M., Childs, A. & Liebenson, C. (1999). Endurance times for low back stabilization exercises: clinical targets for testing and training from a normal database. 80(8), 941–944.
- Mendoza, R. (1988). Los escolares y la salud: estudio de los hábitos de los escolares españoles en relación con la salud. Ministerio de Sanidad y Consumo.
- Myers, W., T. (2015). *Vías anatómicas. Meridianos miofasciales para terapeutas manuales y profesionales del movimiento*. (2a). Elsevier España, S.L.U.
- MSCBS. (2022). Informe Anual del Sistema Nacional de Salud.
https://www.sanidad.gob.es/estadEstudios/estadisticas/sisInfSanSNS/tablasEstadisticas/InfAnualSNS2020_21/INFORME_ANUAL_2020_21.pdf
- Müller, D. C., Boeno, F. P., Izquierdo, M., Aagaard, P., Teodoro, J. L., Grazioli, R., Cunha, G., Ferrari, R., Saez de Astasu, M. L., Pinto, R. S. & Cadore, E. L. (2021a). Effects of high-intensity interval training combined with traditional strength or power training on functionality and physical fitness in healthy older men: A randomized controlled trial. 149, 111321.
<https://doi.org/10.1016/j.exger.2021.111321>
- Mura, G. & Carta, M. G. (2013). Physical activity in depressed elderly. A systematic review. 9, 125–135. <https://doi.org/10.2174/1745017901309010125>
- Murray, A. & Cardinale, M. (2015). Cold applications for recovery in adolescent athletes: a systematic review and meta analysis. 4(1), 1.



Naclerio Ayllón, F. (2009). *Evaluación de la Fuerza muscular con ejercicios de musculación* (G. H. Castañeda (ed.); pp. 309–337). Paidotribo. Navarro, F. (1998). La resistencia. *Gymnos*.

Nordby, P., Rosenkilde, M., Ploug, T., Westh, K., Feigh, M., Nielsen, N. B., Helge, J. W. & Stallknecht, B. (2015). Independent effects of endurance training and weight loss on peak fat oxidation in moderately overweight men: a randomized controlled trial. *118(7)*, 803–810.
<https://doi.org/10.1152/jappphysiol.00715.2014>

Oliver-Martínez, P. A., Ramos-Campo, D. J., Martínez-Aranda, L. M., Martínez-Rodríguez, A. & Rubio-Arias, J. Á. (2020). Chronic effects and optimal dosage of strength training on SBP and DBP: a systematic review with meta-analysis. *38(10)*, 1909–1918.
<https://doi.org/10.1097/HJH.0000000000002459> OMS. (2018). Actividad física.
<https://www.who.int/es/news-room/fact-sheets/detail/physical-activity> Organization, W. H. (2004). Resolución WHA57. 17. 57.

Ortega, F. B., Ruiz, J. R., España-Romero, V., Vicente-Rodríguez, G., Martínez-Gómez, D., Manios, Y., Béghin, L., Molnar, D., Widhalm, K., Moreno, L. A., Sjöström, M. & Castillo, M. J. (2011). The International Fitness Scale (IFIS): usefulness of self-reported fitness in youth. *40(3)*, 701–711. <https://doi.org/10.1093/ije/dyr039>

Panjabi, M. M. (1992). The stabilizing system of the spine. Part I. Function, dysfunction, adaptation, and enhancement. *5(4)*, 383–389; discussion 397.

Parsons, J. K. (2014). Prostate cancer and the therapeutic benefits of structured exercise. *32(4)*, 271–272. <https://doi.org/10.1200/JCO.2013.53.4289> [doi]

Pastor, J. (n.d.). *¿Salud para durar o bienestar para vivir?* (J. Pastor (ed.); pp. 55–77). Wanceulen.

Pérez, V. (n.d.). *La Educación Física y la Salud desde la perspectiva del bienestar* (J. Pastor (ed.); pp. 79–98). Wanceulen.

Randell, R. K., Rollo, I., Roberts, T. J., Dalrymple, K. J., Jeukendrup, A. E. & Carter, J. M. (2017). Maximal Fat Oxidation Rates in an Athletic Population. *49(1)*, 133–140.
<https://doi.org/10.1249/MSS.0000000000001084>

Rankinen, T., Zuberi, A., Chagnon, Y. C., Weisnagel, S. J., Argyropoulos, G., Walts, B., Pérusse, L. & Bouchard, C. (2006). The human obesity gene map: the 2005 update. *14(4)*, 529–644.
<https://doi.org/10.1038/oby.2006.71>

Rikli, R. E. & Jones, C. J. (1999). Development and validation of a functional fitness test for community-residing older adults. *7*, 129–161.



Robertson, R. J., Goss, F. L., Rutkowski, J., Lenz, B., Dixon, C., Timmer, J., Frazee, K., Dube, J. & Andreacci, J. (2003). Concurrent validation of the OMNI perceived exertion scale for resistance exercise. 35(2), 333–341. <https://doi.org/10.1249/01.MSS.0000048831.15016.2A>

Rodríguez Marín, J. (1995). *Psicología social de la salud*. Síntesis.

Ruiz, A. (1990). *Fuerza y Musculación: "Sistemas de Entrenamiento."* Agonos.

Russell, A. P., Foletta, V. C., Snow, R. J. & Wadley, G. D. (2014). Skeletal muscle mitochondria: a major player in exercise, health and disease. 1840(4), 1276–1284.

Salleras Sanmartí, L. (1985). *Educación sanitaria: principios, métodos y aplicaciones*. Díaz de Santos.

Sánchez García, A. (2019). *Trastornos de la conducta alimentaria en adolescentes: etiología y actuación enfermera*.

Schwindling, S., Scharhag-Rosenberger, F., Kindermann, W. & Meyer, T. (2014). Limited benefit of Fatmax-test to derive training prescriptions. 35(4), 280–285. <https://doi.org/10.1055/s-0033-1349106>

Selye, H. (1978). The stress of police work. 1(1), 7-8.

Serra Grima, J. R. & Begur Calafat, C. (2004). *Prescripción de ejercicio físico para la salud* (Vol.1). Editorial Paidotribo.

Sillero Quintana, M. (2009). *Antropometría aplicada al entrenamiento personal* (G. H. Castañeda (ed.); pp. 339–374). Paidotribo.

Silva Piñeiro, R. & Mayán Santos, J. M. (2016). Beneficios psicológicos de un programa proactivo de ejercicio físico para personas mayores. 9(1), 24–32.

Skrypnik, D., Bogdanski, P., Madry, E., Pupek-Musialik, D. & Walkowiak, J. (2014). Effect of physical exercise on endothelial function, indicators of inflammation and oxidative stress. 36(212), 117–121.

Swain, D. P., Brawner, C. A. & Medicine, A. C. of S. (2012). *ACSM's resource manual for guidelines for exercise testing and prescription*. Lippincott Williams & Wilkins.

Tesch, P. A., Fernandez-Gonzalo, R. & Lundberg, T. R. (2017). Clinical Applications of Iso-Inertial, Eccentric-Overload (YoYoTM) Resistance Exercise. 8, 241.



<https://doi.org/10.3389/fphys.2017.00241>

Trojian, T. & McKeag, D. (2006). Single leg balance test to identify risk of ankle sprains. 40(7), 610–613; discussion 613. <https://doi.org/10.1136/bjsm.2005.024356>

Tuesca Molina, R. (2005). La calidad de vida, su importancia y cómo medirla. 21. UE. (2022). Vivifrail – Exercise for elderly adults. <https://vivifrail.com/es/inicio/>

Velasco-Santos, L., Pradillo, J. L. P., Blanco-Alcántara, D. & Eguizábal, A. J. (2021). Influencia del perfil de los jóvenes en sus valores del cuerpo (Influence of the profile of young people on their body values). 41, 299–309.

Vera-García, F. J., Monfort, M. & Sarti, M. A. (2005). Prescripción de programas de entrenamiento abdominal. Revisión y puesta al día. 81, 38–46.

Weineck, J. (2000). *Salud, ejercicio y deporte* (Vol. 1). Editorial Paidotribo.

Wells, K. F. & Dillon, E. K. (1952). The sit and reach—a test of back and leg flexibility. 23(1), 115–118.

Wilke, J., Krause, F., Vogt, L., & Banzer, W. (2016). What Is Evidence-Based About Myofascial Chains: A Systematic Review. *Archives of Physical Medicine and Rehabilitation*, 97(3), 454-461. <https://doi.org/10.1016/j.apmr.2015.07.023>

Wimbush, J. C. & Shepard, M. (1994). Toward an Understanding of Ethical Climate: Its Relationship to Ethical Behavior and Supervisory Influence. 13, 637–647.